App F IX 4

Previous References

1944 Municipal File No M 64-44
Serial Nos 6 to 1 to 2

Later References

GENERAL AND REVENUE SECRETARIAT

Serial Nos

Part B for Oct 44

SUBJECT

Sanction to purchase machinery for Chitaldrug Water Supply Revised estimates -

The DP It
" Comptroller
" Secy. to P Committee
" Dc Chitaldrug
" Chief Engr for irrigation

L-3867-31 dated 24.10.44.
Secretary

2
4/12

Continuation Sheet | File No / Current No | of | Page

From the D P H

No C-1-82 of 31/8/44

Requests sanction to purchase machinery required for chotalay water supply for ~~Rs 39,350-10-0~~ Rs 39,350-10-0 as against Rs 31,226/- formerly sanctioned

* A In G.O. dt. 30-10-41, sanction was accorded to the purchase of the said machinery required in connection with the Kathral project of water supply for Rs 31,226/- for reasons stated by the D P H, the cost of the machinery now amounts to Rs 39,350-10-0

In this connection, it may be stated that the Kathral project scheme has been ~~ordered~~ to be worked for the present in view of the unsatisfactory conditions ~~and~~ prevailing now being and the supply of water is made from bore wells sunk at a cost of Rs 10,000/- in Thummanayakakan daley and the progress in the execution of the works is also watched

ref fly A.

In the above circumstances, The D P H may ~~be~~ in the first instance be requested to state whether

There is any urgency to purchase the machinery especially when the scheme for which the machinery is required was ordered to be kept in abeyance.

The Govt in Govt. Memo 16/9 has stopped the implementation of the scheme on the orders of the Secy, Dev. purchase committee. The amount has to be paid hence payment of the revised estimate Rs 39,350/- may be ordered

Law Dept. Memo 16/9

May be sanctioned as higher authority orders have been requested

Secy 21-9-44

Minister for L S G & P H 29/9/44

Secy 14.10.44

17.10.44

Minister for Finance

Sanctioned with a drop of 50

17-10-44

Secy

19.10.44

Govt Memo 1538-31 dt 24-10-44 Sanctioning the proposal

30/11

SECY LAW DEPT 3110 * 21 SEP 1944 * GOVT OF MYSORE

FINANCIAL ASSISTANT U O No II 1589 22 SEP 1944 BANGALORE

OFFICE OF THE MINISTER FOR L S G & P H Date 2 10 1944 No 2618

(306)

No C-1-82
Encl Three

GOVERNMENT OF MYSORE
PUBLIC
DEPARTMENT OF HEALTH

1751

DR I PARTHASARATHY L M S B S SC (Mad) L R C P & S (Ed n)
D T M (Lond) D P H (Camb)
Director of Health

BUREAU OF MATERNITY CHILD AND OTHER WELFARE WORKS

Bangalore (S India) dated 30th August 1944

H L 64-44-1

To

The Secretary to Government,
Law Department, Bangalore

Sir,

Subject - Sanction to the purchase of machinery required for Chitaldrug Water Supply from Messrs Lather & Platt, Ltd , Bombay, for Rs 39,350-10-0 instead of for Rs 31,266/-

Adverting to G O No L 3258-62/Ml 75-41-2 dated 30-10-41 sanctioning the purchase of two high lift and two low lift pumping Units with accessories for the above water supply at a cost of Rs 31,266, I have the honour to state that since higher capacity of motors were required for the pumping set, an extra price of Rs 4,740 was accepted by the Stores Purchase Committee in his No 3475 dated 28 7 42 The payment of extra charges on account of freight and War risk insurance were also accepted by him in his No SPC 9497 dated 15 10 1943 Consequently the total cost comes to Rs 39,350-10-0 as follows -

Pumping set	Rs 36,346-0-0
Extra charges an account of freight and insurance	3,004-10-0
	39,350-10-0

I therefore request you to be so good as to obtain and convey sanction of Government to the purchase of the two high lift and two low lift pumping units with accessories at a total cost of Rs 39,350-10-0 instead of for Rs 31,266 as already sanctioned in the G O of 30-10-41

Copies of Sanitary Engineer's letter No 190 dated 15 8 44 and its enclosures are attached herewith for the information of Government

I have the honour to be,
sir,
Your most obedient servant,

Director of Public Health

BSN

Copy of the letter 150 dated 15 8 44, from the Sanitary Engineer, Bangalore, to the Director of Public Health, Bangalore

---

Re - Sanction required for the purchase of machinery required for Chitaldrug water supply from Messrs Lather & Platt, Ltd , Bombay, through the Stores Purchase Committee

---

I have the honour to state that Government in their Order No L 3258-62/M1 7b-41-2 dated 30-10-41 sanctioned the purchase of machinery for Chitaldrug water supply at a cost of Rs 31,266/- Accordingly, the Secretary, Stores Purchase Committee, placed orders with Messrs Lather & Platt, Ltd vide Lr I No 6358 for pumping set as noted in the margin The firm replied in their letter No VRB/IDQ/9341G dated 30th October 1941, quoting the detailed prices for machinery etc aggregating Rs 31,606/-, vide copy enclosed

Two High lift Pumps	Rs 21,410/-	Since higher capacity of motors was required for the pumping set the extra price of Rs 4,740/- for high lift and low lift pumps has also been accepted by the Secretary, Stores Purchase Committee, vide letter No 3475 dated 28 7 42, copy enclosed
Two Low Lift Pumps	7,810/-	
Accessories	2,046/-	
	31,266/-	

In addition to the above, the Secretary, Stores Purchase Committee has accepted to pay extra charges on account of freight and war risk insruance, vide letter No S.P.C 9497 dated 15 10 43, copy enclosed The firm has supplied the pumping set as per order of the Stores Purchase Committee and the total cost comes to Rs 39,350-10-0 as noted below -

Pumping set	Rs 36,346- 0-0
Extra charges on account freight and insurance	3,004-10-0
Total	39,350-10-0

I request you to kindly obtain sanction of Government for the purchase of the pumping set at enhanced rates accepted by the Secretary, Stores Purchase Committee Pending sanction of Government, the Comptroller may be addressed to pay the bill since only sanction for the excess cost involved is to be given

The firm has been reminding for early payment

"copy"

Director of Public Health

Copy of letter No VRB/IDQ/93416 dated 30th October, 1941 from Messrs Mather & Platt, Ltd , Bombay

---

Pumps for Chitaldrug water supply - Your Order No P O 11898/Local Indent No 6358 dated 27 10 1941

We have to acknowledge and thank you for your order under the above reference and we have entered this provisionally in our books as follows

Item 1

Two - Low Lift Pumping Sets Each comprising

1 - "Mather & Platt" 3"/4" Two-stage MEDIVANE pump, standard type, bronze fitted, capable of delivering 350 g p m against a total head from all causes of 140 ft efficiency 67% power absorbed 22 15 h p speed 1450 r p m

Cast Iron Bedplate having drip gutter round edge
Flexible pin type coupling to connect pump andmotor
Foundation bolts
Priming tundish and cock

1 "Mather & Platt" Drip-proof, squirrel cag rotor Induction motor having Class 'A' insulation and capable of developing 25 b h p continuously when running at a speed of about 1450 r p m when connected to a 220 volts 25 cycles 3 phase supply
The temperature rise of the motor is not to exceed 25° C at our Works

1 Totally enclosed wall mounting oil immersed hand operated star delta starter fitted with one novolt and three overload released with time legs and moving iron ammeter

All for the sum of	Rs 3,905- 0-0 per set
Extra for drip gutter	70- 0-0
	3,975- 0-0
1 - 4" flanged foot valve & strainer	173- 0-0
1 - 3" bore double flanged gunmetal fitted delivery nonreturn valve	86- 0-0
1 - 3" bore double flanged gunmetal fitted delivery sluice valve with handwheel	44- 0-0
1 - 6" dial compound gauge with cock	60- 0-0
1 - 6" " pressure gauge with cock	60- 0-0
Total per set	4,398- 0-0
Total for two sets	8,796- 0-0

Item 2

Two - High Lift Pumping Sets Each comprising

1 - "Mather & Platt" PLUROVANE Pump, delivery branch 5" suction branch 6" bore, standard rotation bronze fitted capable of delivery 350 g p m against a total head from all causes of 450 ft efficiency 76%, power absorbed 62 8 h p , speed 1450 r p m

Cast Iron Bedplate having drip gutter round edge flexible pin type coupling to connect pump and motor
Foundation bolts
Priming tundish and cock

1 - "Mather & Platt" Drip proof, squirrel cage, Motor Induction motor having Class 'A' insultation capable of developing 72 b h p continuously, when running at a speed of about 1450 r p m when connected to a 220 volts 25 cycles 3 phase supply The motor is to have a special link terminal box with connections to enable it to work off a 220 volts 50 cycles 3 phase supply The temperature rise of the motor is not to exceed 25° C at our Works

1 - Totally enclosed, floor mounting, oil immersed, hand operated auto-transformer starter fitted with one novolt and three overload releases with time legs and moving iron ammeter

ALL FOR THE SUM OF	Rs	10,705-0-0 per set
EXTRA FOR DRIP GUTTER		100-0-0
		10,805-0-0
1 - 6" bore flanged foot valve & strainer		238-0-0
1- 5" bore double flanged gunmetal fitted delivery nonreturn valve		142-0-0
1 - 5" bore double flanged gunmetal fitted delivery sluice valve with handwheel		100-0-0
1 - 6" dial pressure gauge with cock		60-0-0
1 - 6" " compound gauge with cock		60-0-0
Total per set		11,405-0-0
Total for two sets		22,810-0-0
Grand Total		31,606-0-0

O R CHITALDRUG

All in accordance with our Estimate No 6 dated 16th June 1941, including our special supplementary war-time terms and conditions Rei 503 (a)

There are oneor two important points that we would ask you to bear in mind in connection with this order

Firstly, you will realise that our Works cannot commence the manufacture of these sets until you have obtained from the Director-General, Munition Production, Supply Department, Calcutta, confirmation that this official has sanctioned importation Assistance for this work He will give you a reference number for his recommendation, which you will have to pass to us immediately you receive it to enable us to cable this reference number to our Works Our Works then get in touch with the Supply Department, India Office, London giving them this reference number and the India Office, London, then arrange for the Board of Trade to sanction the use of materials and labour for the construction of this plant It is absolutely essential that you should apply for and obtain this reference, as without it, owing to the very strict Regulations, it is not possible for our Works to execute orders at all

You will require the following information in connection with your Application to the Munition Production, Supply Department, Calcutta

The reference number of our indent on our Works for this plant is No 9341-G dated 30th October, 1941

The plant will be manufactured by Messrs Mather & Plant, Ltd , Park Works, Manchester 10, England

It is not possible to obtain or manufacture this plant in India

We attach a copy of the questionnaire that has been in force which we trust will assist you in your application

Please make this application to the Director-General, Munition Production, Supply Department, Calcutta, immediately

There is another point in connection with this order which we must bring to your notice and that is the third paragraph of your order forms

Under existing conditions you will realise that we cannot under any circumstances make any guarantees either regarding cancellation of the order or the delivery date It is impossible to say what circumstance

may arise to affect the delivery period and such circumstances are entirely beyond our control We can only accept your order, therefore, on the definite understanding that the third paragraph of your order forms S P C 49 is deleted

We give you our assurance that provide you obtain the necessary sanction from the Director-General, Munition Production, Supply Department, Calcutta, we will cable that reference to our Works immediately you let us have it and that we will do everything that we possibly can to ship the plant at the earliest possible date, but we can under no circumstances make any guarentees whatsoever in this respect You will realise that if we cannot make these guarantees, we cannot possibly accept any penalty in this connection

We must ask you to leave this matter in our hands with the assurance that we will do the best we possibly can for you in this connection

These are in accordance with very strict instructions received from our Principals that we may only accept orders subject to sanction by the Munition Production Department firstly and secondly in accordance with the Terms & Conditions set out in our tender We should very much like to waive these conditions, with such good customers as yourselves, but under present circumstances you will realise that this cannot be done

We should appreciate it if you would confirm to us immediately that you have made the above application and that the paragraph referred to may be deleted

---

Letter No S P C 3475 dated 28 7 1942 from the Secretary, Stores Purchase Committee, Bangalore, to Messrs Mather & Platt Ltd , Post Box No 327, Bombay

---

Local Indent No 6358 -- This office Order No 11898 dated 27-10-41 for the supply of pumping sets required for Chitaldrug Town Water Supply

---

With reference to your letter No STN/Na dated 18th June 1942 on the above subject, I write to state that the extra prices for the motors of higher capacity, as noted hereunder is accepted

Low Lift Pumps

1) Two - Dual frequency motors, with Class 'A' insulation and 35 deg C rise, exactly as specified under item No 1 of your Estimate No 6 dated 26 6 41, but having an output of 30 BHP, complete with suitable oil immersed star delta starter

Rs 845/- extra each motor

High Lift Pumps

2) Two - Dual frequency motors with Class 'a' insulation and 35 deg C rise, exactly as specified under item No 2 of your Estimate No 6, but having an output of 90 BHP, complete with floor mounting auto-transfer starter as before, but suitable for 90 BHP

Rs 1,525/- extra each motor

You may instruct your Principals to proceed with the manufactureof the motors of higher capacity and supply them as early as possible

---

Letter No S P C 9497 dated 16 10 1943 from the Secretary, Stores Purchase Committee, Bangalore, to Messrs Mather & Platt Ltd , Post Box No 327, Bombay

---

Local Indent No 6358 - Order No S P O 11838 dated 27th October 1941, for the supply of pumping sets required for Chitaldrug Water Supply

---

With reference to your letter No SNV/ 3041-7(Revd) dated 2nd October 1943, stating that owing to restrictions of Goods Train booking, it would be necessary to despatch the cases containing the pumping sets ordered under the above indent, to Chitaldrug by Sea via Tarnuvon harbour, I write to state that there will be no objection to action being taken as proposed the extra charges on account of freight and war risk insurance may be included in your bill separately

---

'Copies"

G G [illegible]

Director of Public Health

EX

PROCEEDINGS OF THE GOVERNMENT OF HIS HIGHNESS
THE MAHARAJA OF MYSORE

R e a d:

Government Order No.L.3258-62/Ml. 75-41-_ _____ 30-10-1941 according sanction to the purchase of machinery viz. two high lift and two low lift pumping units with accessories required in connection with the Kathral Project for water supply to the Chitaldrug Town Municipality at a cost of Rs.31,266/-.

2. Letter No.C-1-82 dated 31-8-1944 from the Director of Public Health requesting sanction to the purchase of machinery from Messrs. Mather and Platt, Ltd., Bombay at a cost of Rs.39,350-10-0 as against Rs.31,266/- sanctioned in the above Government Order for reasons stated therein.

ORDER NO.L. 3827-31/Ml 44-44-2

DATED, BANGALORE, THE 2nd OCTOBER 1944.

S a n c t i o n e d.

for Secretary to Government,
Law Department.

To--The Director of Public Health in Mysore.
The Comptroller to Government of Mysore
The Secretary, Stores Purchase Committee.
The Deputy Commissioner, Chitaldrug District.
The Chief Engineer for Irrigation in Mysore.

PL

3 R S App F VI—G 2]

SUBJECT

Ab

Diary No of letter replied to

General and Revenue Secretariat

( )

the *194*

Section H
File No 64-44
Serial No 2

Proceedings of the Government of His Highness the Maharaja of Mysore

Date of issue 24-10-1941

Signed by for G R Rao

May this be—

(i) printed ?

(ii) treated as a Standing Order ?

(iii) published in the Gazette English Part ?

(iv) translated ?

(v) placed at the disposal of the Press ?

(vi) published in the Gazette Kannada Part ?

Read— Go No L3 2586-62/H75-41-2 dated 30 10 41 according sanction to the purchase of machinery required ~~for Chitaldrug Water~~ in Connection with the Kathral Project for water supply to the Chitaldrug town Municipality ~~Order thereon—No~~ at a cost of Rs 31,266/-

2 Letter No C-1-82 dated 31 8 41 from The Dir of P H requesting sanction to the purchase of machinery at a cost of Rs 39,350-10-0 as sanctioned in the above Go against Rs 31,266/- for reasons

~~two~~ two lots of two turbine pumping units with accessories

from Messrs Walter & Platt Ltd. Bombay

Stated Therein

Order No 3827-31 dt 24 10 41

Sanctioned

Jr Secy to govt
Jr Law Dept
19/10

The D.P.H ✓ ~~Asst Accts~~ ✓
Comptroller to govt ~~Home~~
~~Asst Secy~~
Secy S.P.C ✓
Dr. Chemist ✓
Chief Engineer for Irrigation

Jay

List of Enclosures

Copied by

Examined by

WD 04162—GPB—60 000—23 10 41

Pages 1 — 11